Clinica Adelante
Community Health Centers
HEALTH CARE FOR EVERYONE

SYED BOKHARI BSc., MD
CAC Clinical Adelante,
Surprise, Arizona

http://**www.clinicaadelante.com/**

Notification Setup in GUI

VistA CPRS in use by: Bokhari,Syed (10.3.20.232)

File Edit View Tools Help

ZZ PATIENT,TEST ONE
000-0-0-3322 Jan 24,1945 (62)

Provider:

Active Problems

* Diabetes Mellitus Without Mention Of Complic
Diabetes Mellitus Of Mother, Complicating Pre
Diabetes Mellitus Without Mention Of Complic
Family History Of Diabetes Mellitus (ICD-9-CM
Heart Failure (ICD-9-CM 428.9)
Pyelonephritis (ICD-9-CM 590.80)
Tobacco Use Disorder
Alcohol Abuse
Heart Failure
Fm Hx-Trach/Bronchog Mal
Family Hx-Breast Malig
Family Hx-Asthma
Fam Hx, Malig Neopl Of Testis
Allergy To Eggs
Hx-Tobacco Use
Mi

Active Medications

Glipizide 5mg Tab
Alendronate 5mg Tab
Lisinopril 5mg Tab
Ibuprofen 200mg Tab
Non-VA Quinapril Tab
Non-VA Diazepam 15mg Sa Cap
Non-VA Hctz 12.5mg/Quinapril Hcl 20mg Tab

Recent Immunizations

Bcg I
Diphtheria
Dpt Ped 2
Hib Prp-Omp
Influenza
Influenza
Influenza
Pneumo-Ped
Pneumo-VAc
Pneumo-VAc
Pneumo-VAc
Pneumo-VAc
Pvc Ped 3
Roto Oral
Varicella

Options

General | Notifications | Order Checks | Lists/Teams | Notes | Reports | Graphs

Notifications

Change your notification options.

☐ Send me a MailMan bulletin for flagged orders

Surrogate Settings... | Remove Pending Notifications...

Surrogate: Triage,Triage (from Jan 4,2008@09:32)

You can turn on or off these notifications except those that are mandatory.

Notification	On/Off	Comment
☑ Abnormal Imaging Results	On	Mandatory
☑ Abnormal Lab Result (info)	On	
☑ Abnormal Lab Results (action)	On	
☑ Admission	On	
☐ Anatomic Pathology Results	Off	
☐ Consult/Proc Interpretation	Off	
☐ Consult/Request Cancel/Hold	Off	
☑ Consult/Request Resolution	On	Mandatory
☑ Consult/Request Updated	On	Mandatory
☐ Critical Lab Result (info)	Off	

OK | Cancel | Apply

Notification Life Cycle

NOTIFICATION MGMT MENU

```
Press <RETURN> to see more, '^' to exit this list, OR
CHOOSE 1-5: 3  ORB NOT MGR MENU     Notification Mgmt Menu


   1      Enable/Disable Notifications
   2      Erase Notifications
   3      Set Urgency for Notifications (GUI)
   4      Set Deletion Parameters for Notifications
   5      Set Default Recipient(s) for Notifications
   6      Set Default Recipient Device(s) for Notifications
   7      Set Provider Recipients for Notifications
   8      Flag Orderable Item(s) to Send Notifications
   9      Archive(delete) after <x> Days
   10     Forward Notifications ...
   11     Set Delays for Unverified Orders ...
   13     Send Flagged Orders Bulletin
   14     Determine Recipients for a Notification
   15     Display Patient Alerts and Alert Recipients
   16     Enable or Disable Notification System
   17     Display the Notifications a User Can Receive


You have PENDING ALERTS
          Enter  "VA to jump to VIEW ALERTS option

Select Notification Mgmt Menu Option:
```

1-Enable / Disable Notifications

```
                Set PROCESSING FLAG Parameters for Notifications

Processing Flag may be set for the following:

     1   User            USR     [choose from NEW PERSON]
     2   Team (OE/RR)    OTL     [choose from OE/RR LIST]
     3   Service         SRV     [choose from SERVICE/SECTION]
     4   Location        LOC     [choose from HOSPITAL LOCATION]
     5   Division        DIV     [CLINICA ADELANTE, INC]
     6   System          SYS     [BETA.VISTA-OFFICE.ORG]
     7   Package         PKG     [ORDER ENTRY/RESULTS REPORTING]

Enter selection:
```

```
CHOOSE 1-2: 1  BOKHARI,SYED     SB     IRM     ANALYST

-------------- Setting Processing Flag  for User: BOKHARI,SYED --------------
Select Notification: lab
     1   LAB ORDER CANCELED
     2   LAB RESULTS
     3   LAB THRESHOLD EXCEEDED
CHOOSE 1-3: 1  LAB ORDER CANCELED

Notification: LAB ORDER CANCELED//   LAB ORDER CANCELED   LAB ORDER CANCELED
Value: Enabled// man  Mandatory
Select Notification:
```

2-Erase Notifications

```
                    Erase Notifications


     1.  Erase all notifications for a User

     2.  Erase all notifications for a Patient

     3.  Erase all instances of a notification (regardless of Patient or User)

     4.  Erase specific notifications for a User

     5.  Edit Erase All Notifications parameter for a User


Select Erase option:  4

This option purges an existing alert/notification for a recipient/user.
     *** USE WITH CAUTION ***
Select NEW PERSON entry for deletion of alerts: saNCHEZ,MARGARET        SM

 1.    [illegible] (G8826): New consult CONSULT. FROM SITE:  (Routine)
 2.    [illegible] (G8826): New consult CONSULT. FROM SITE:  (Routine)
 3.    [illegible] (M0102): Comment Added to Consult CONSULT. FROM SITE:
 4.    [illegible] (N5572): Comment Added to Consult CONSULT. FROM SITE:
 5.    [illegible] (C1651): New consult CONSULT. FROM SITE:  (Routine)
 6.    [illegible] (C1651): New consult RADIOLOGY. FROM SITE (Routine)
 7.    [illegible] (C1651): New consult CONSULT. FROM SITE:  (Routine)
 8.    [illegible] (H9209): New consult CONSULT. FROM SITE:  (Routine)
 9.    [illegible] (R5075): New consult CONSULT. FROM SITE:  (Routine)
10.    [illegible] (R`899): New consult CONSULT. FROM SITE:  (Within 1 week)
11.    [illegible] (A): COMPLETED PEDIATRIC SICK VISIT available for ADD'L SIGN
12.    [illegible] (S): UNSIGNED Addendum available for SIGNATURE.
          Select from 1 to 12 to DELETE
```

Template Types: Group Templates, Dialogs and Folders

- Group Templates.
  - Allow multiple templates to be placed under one heading.
  - Pulls all templates within the group into the progress note.
- Dialogs.
  - Also contain predefined text, template fields and data objects.
  - More selection options than with templates.
- Folders.
  - Used to organize dialogs & templates.

Template Field Types

- Blank text or word processing fields.
- Drop down boxes with predefined text.
- Check boxes that allow for multiple selections.
- Radio buttons that allow for only one selection.
- Calendar boxes.
- Number boxes.
- Hyperlink boxes.
- Template fields can be set to be "Required".
- { } brackets are used to identify "Template Fields" within the template.

Data Objects

- Imports patient data into the note.
- Examples include recent meds, vitals, age, patient name, etc.

- Brackets | | are used to identify "Data Objects" within the template.
  - example: |patient name|

BASIC TEMPLATE

[x] DIABETES:

[x] DIABETES TYPE: ( ) TYPE 1 (•) TYPE 2 How long Diabetic: _____ years.

==========PATIENT HISTORY==========

Alcohol Abuse	[X]	
CAD	[X]	
CVD	[ ]	
Depression	[ ]	
DM Nephropath	[ ]	
Drug Abuse	[ ]	
Dyslipi	[ ]	
Erectile Dysf	[ ]	
HTN	[ ]	
Neuropathy	[ ]	
Obesity	[ ]	
Opth Comp	[ ]	
PVD	[ ]	
Renal Comp	[ ]	
Tobacco Abuse	[ ]	
Vascular Comp	[ ]	
-----	[ ]	

========== GLUCOSE ==========

HOME GLUCOSE:

Fasting Range:----- ; Random Range:-----

Monitoring Frequency: -------

Hypoglycemic episodes: [NO] ; If YES , How it was treated: -----

ENCOUNTER TEMPLATES WITH REMINDER DIALOG

==========PEDIATRIC ENCOUNTER==========

- [ ] OFFICE VISITS
- [ ] PREVENTIVE SERVICES
- [ ] PROCEDURES (Other than Immunization)
- [ ] IMMUNIZATION
- [x] DIAGNOSIS MENU:
  - [x] CARDIOLOGY
    - [x] CURRENT VISIT DX :

      Selectable Diagnoses: * Abnormal Heart Sounds, Clicks (785.3) Primary Diagnosis [ ]

      Comment:

      Add to Problem List [ ]

      [ ] HISTORICAL VISIT DX:

- [x] Abnormal Heart Sounds, Clicks (785.3)
- [ ] Secundum Atrial Sept Def (745.5)
- [ ] Chest Pain, Atypical (786.59)
- [ ] Chest Pain, Pleuritic (786.52)
- [ ] Chest Pain, Precordial (786.51)
- [ ] Chest Pain , Unspecified (786.50)
- [ ] Costochondritis (733.6)
- [ ] Congenital Heart Disease (746.89)

OK | Cancel

Finish | Cancel

==========PEDIATRIC E

CARDIOLOGY

CURRENT VISIT DX :

Selectable Diagnoses: Abnorm

Diagnoses: **Abnormal Heart Sounds, Clicks**

REMINDERS
Cohort Logic

- A group of people to be evaluated
  - All MI patients
  - All patients on Propranolol
  - MI patients on the drug Propranolol



REMINDER DIALOG ROLL N SCROLL

```
Dialog Edit List                Jan 09, 2008@10:00:42          Page:    1 of    8
REMINDER DIALOG NAME: PEDIATRIC ENCOUNTER
 Item  Seq.    Dialog Summary
   1    1   Element: PEDIATRIC ENC TEXT

   2    2   Group: OFFICE VISITS PED

   3    2.5    Element: OFFICE VISITS NEW PED

   4    2.10   Element: OFFICE VISITS ESTAB PED

   5    5   Group: IMMUNIZATION PED'S PREV

   6    5.5    Element: IMMUNIZATION PED'S TX PREV SERV NEW

   7    5.10   Element: IMMUNIZATION PED'S TX PREV SERV ESTB

   8    10  Group: PROCEDURES PED'S
+          + Next Screen   - Prev Screen   ?? More Actions                  >>>
ADD  Add Element/Group    DS   Dialog Summary       INQ  Inquiry/Print
CO   Copy Dialog          DO   Dialog Overview      QU   Quit
DD   Detailed Display     DT   Dialog Text
DP   Progress Note Text   ED   Edit/Delete Dialog
Select Item: Next Screen//
```

CREATING A CLINICAL REMINDER IN ROLL N SCROLL

- Create a Reminder Definition
- Create Findings and Apply to Reminder
  - HF
  - Reminder Term
- Activate and Add to Cover Sheet
- Create Dialog
- Create Elements and Dialog Groups
- Associating Dialog and Reminder
- Testing and Troubleshooting Reminders

```
Select Core Applications Option: CRM  Reminder Managers Menu


   CF      Reminder Computed Finding Management ...
   RM      Reminder Definition Management ...
   SM      Reminder Sponsor Management ...
   TXM     Reminder Taxonomy Management ...
   TRM     Reminder Term Management ...
   LM      Reminder Location List Management ...
   RX      Reminder Exchange
   RT      Reminder Test
   OS      Other Supporting Menus ...
   INFO    Reminder Information Only Menu ...
   DM      Reminder Dialog Management ...
   CP      CPRS Reminder Configuration ...
   RP      Reminder Reports ...
   MST     Reminders MST Synchronization Management ...
   PL      Reminder Patient List Menu ...
   PAR     Reminder Parameters ...
   XM      Reminder Extract Menu ...
   GEC     GEC Referral Report

Select Reminder Managers Menu Option: RM  Reminder Definition Management


   RL      List Reminder Definitions
   RI      Inquire about Reminder Definition
   RE      Add/Edit Reminder Definition
   RC      Copy Reminder Definition
   RA      Activate/Inactivate Reminders
   RH      Reminder Edit History

Select Reminder Definition Management Option: RE  Add/Edit Reminder Definition
```

```
Select Reminder Definition: osteopOROSIS IN PSOTMENOPAUSAL WOMEN       LOCAL

     Select one of the following:

          A         All reminder details
          G         General
          B         Baseline Frequency
          F         Findings
          FF        Function Findings
          L         Logic
          C         Custom date due
          D         Reminder Dialog
          W         Web Addresses

Select section to edit: a  All reminder details


NAME: OSTEOPOROSIS IN PSOTMENOPAUSAL WOMEN  Replace


PRINT NAME: POSTMENOPAUSAL OSTEOPOROSIS  Replace


CLASS: LOCAL//
SPONSOR:
REVIEW DATE:
USAGE: *//
```

USAGE CODES

- C CPRS
- L Reminder Patient List
- P Patient
- R Reminder Reports
- X Reminder Extracts
- * All of the above, except L and P.

```
RELATED REMINDER GUIDELINE: ??
        If a local reminder replaces a national reminder, this field can be
        used to identify the related national reminder.

RELATED REMINDER GUIDELINE:


INACTIVE FLAG: ??
        Reminders that are inactive will not be evaluated. The Clinical
        Maintenance component will return a message stating the reminder is
        inactive and the date when it was made inactive.

        Other applications that use reminders may use this flag to determine
        if a reminder can be selected for inclusion.

     Choose from:
       1        INACTIVE
INACTIVE FLAG:
IGNORE ON N/A: ??
        This field allows the user to stop reminders from being printed in
        the Clinical Maintenance component if the reminder is N/A. This is a
        free text field that can contain any combination of the following
        codes:

        Code  Description
         A    N/A due to not meeting age criteria.
         I    N/A due to inactive reminder.
         R    N/A due to the wrong race.
         S    N/A due to the wrong sex.
         *    N/A for any reason.

IGNORE ON N/A:
```

```
RESCISSION DATE:


REMINDER DESCRIPTION:
  1>The U.S. Preventive Services Task Force redomends that women aged 65 and old
er be screened routinley for osteoporosis.
  2>The USPSTF recommends that routine screening begin at age 60 for women at in
creased risk for osteoporotic fractures
  3>Rating B recommendation
  4>USPSTF makes no recommendation for or against routine osteoporosis screening
 in psotmenopausal women who are younger than 60 or in women aged 60-64 who are
not at increased risk for osteoporotic fractures. Rating: C
EDIT Option:


TECHNICAL DESCRIPTION:
  1>


PRIORITY: HIGH//

Baseline Frequency
DO IN ADVANCE TIME FRAME: 1M// 6m
SEX SPECIFIC: FEMALE//

Baseline frequency age range set
Select REMINDER FREQUENCY: 2Y//
  REMINDER FREQUENCY: 2Y//
  MINIMUM AGE: 65Y
  MAXIMUM AGE:
  AGE MATCH TEXT:
  1>
  AGE NO MATCH TEXT:
  1>
Select REMINDER FREQUENCY:

Reminder Definition Findings

Reminder has no findings
```

```
Select FINDING:

Function Findings
Select FUNCTION FINDING:

Patient Cohort and Resolution Logic
CUSTOMIZED PATIENT COHORT LOGIC (OPTIONAL):
GENERAL PATIENT COHORT FOUND TEXT:
  1>
GENERAL PATIENT COHORT NOT FOUND TEXT:
  1>
SUMMARY PATIENT COHORT FOUND TEXT:
  1>
SUMMARY PATIENT COHORT NOT FOUND TEXT:
  1>
CUSTOMIZED RESOLUTION LOGIC (OPTIONAL):
GENERAL RESOLUTION FOUND TEXT:
  1>
GENERAL RESOLUTION NOT FOUND TEXT:
  1>
SUMMARY RESOLUTION LOGIC FOUND TEXT:
  1>
SUMMARY RESOLUTION LOGIC NOT FOUND TEXT:
  1>

Reminder Dialog
LINKED REMINDER DIALOG:

Web Addresses for Reminder Information
Select URL:

     Select one of the following:

          A          All reminder details
          G          General
          B          Baseline Frequency
          F          Findings
          FF         Function Findings
          L          Logic
          C          Custom date due
          D          Reminder Dialog
          W          Web Addresses
```

```
FINDING ITEM: OSTEOPOROSIS SCREENING DONE ELSEWHERE
          //
REMINDER FREQUENCY:
MINIMUM AGE:
MAXIMUM AGE:
RANK FREQUENCY:
USE IN RESOLUTION LOGIC: ??
        This optional field is used to indicate that this finding item
        should be included as part of the resolution logic for this
        reminder. Note - if the CUSTOMIZED RESOLUTION LOGIC is defined then
        this field is ignored.

        Valid entries for the USE IN RESOLUTION LOGIC field are:

                                EQUATES TO BOOLEAN
          OPERATOR   VALUE      OPERATOR LOGIC
          --------   -----      ------------------
                     BLANK      not included in Resolution Logic
                                (Use @ to delete value)
           &         AND        &(Finding)
           !         OR         !(Finding)
           &'        AND NOT    &'(Finding)
           !'        OR NOT     !'(Finding)

        All finding items that have a value in this field are automatically
        combined to create the DEFAULT RESOLUTION LOGIC.

        After all findings have been evaluated, the finding item is replaced
        by its true or false value in the resolution logic and the
        resolution logic is evaluated. If the resolution logic evaluates to
        true, then the last resolution date is determined. The applicable
        frequency is added to the resolution date to determine when the
        reminder is next due. If the resolution logic evaluates to false,
        then reminder is due.

     Choose from:
       &         AND
       !         OR
       &'        AND NOT
       !'        OR NOT
USE IN RESOLUTION LOGIC:
```

```
USE IN RESOLUTION LOGIC: !  OR
USE IN PATIENT COHORT LOGIC: ??
        This optional field is used to indicate that this finding item
        should be included as part of the Patient Cohort Logic for this
        reminder. Note - if the CUSTOMIZED COHORT LOGIC is defined then this
        field is ignored.

        Valid entries for the USE IN PATIENT COHORT LOGIC field are:

                                EQUATES TO BOOLEAN
          OPERATOR  VALUE        OPERATOR LOGIC
          --------  -----        ------------------
                    BLANK        not included in Patient Cohort Logic
                                 (Use @ to delete value)
           &        AND          &(Finding)
           !        OR           !(Finding)
           &'       AND NOT      &'(Finding)
           !'       OR NOT       !'(Finding)

        All finding items that have a value in this field are automatically
        combined to create the DEFAULT COHORT LOGIC. The default logic
        string initially includes (SEX)&(AGE), regardless of whether the
        baseline specifies SEX and AGE criteria. Each finding item with a
        value in the Use In Patient Cohort Logic field is appended to the
        string by using the operator and finding item. For example, if
        finding item 2 had an operator for this field of "&" then the string
        would be (SEX)&(AGE)&FI(2).

        After all findings have been evaluated, the finding item is replaced
        by its true or false value in the cohort logic and the cohort logic
        is evaluated. If the cohort logic evaluates to true, then the reminder
        is applicable to the patient. If the cohort logic evaluates to false,
        then reminder is non-applicable or N/A.

     Choose from:
       &        AND
       !        OR
       &'       AND NOT
       !'       OR NOT
USE IN PATIENT COHORT LOGIC:
```

```
USE IN PATIENT COHORT LOGIC:
BEGINNING DATE/TIME:
ENDING DATE/TIME:
OCCURRENCE COUNT:
WITHIN CATEGORY RANK:
INCLUDE VISIT DATA:
CONDITION:
CONDITION CASE SENSITIVE:
USE STATUS/COND IN SEARCH:
FOUND TEXT:
  1>
NOT FOUND TEXT:
  1>

Reminder Definition Findings

Choose from:
HF   OSTEOPOROSIS SCREENING DONE ELSEWHERE                    Finding #: 1

Select FINDING:
```

```
Function Findings
Select FUNCTION FINDING:

Patient Cohort and Resolution Logic
CUSTOMIZED PATIENT COHORT LOGIC (OPTIONAL):
GENERAL PATIENT COHORT FOUND TEXT:
  1>
GENERAL PATIENT COHORT NOT FOUND TEXT:
  1>
SUMMARY PATIENT COHORT FOUND TEXT:
  1>
SUMMARY PATIENT COHORT NOT FOUND TEXT:
  1>
CUSTOMIZED RESOLUTION LOGIC (OPTIONAL):
GENERAL RESOLUTION FOUND TEXT:
  1>
GENERAL RESOLUTION NOT FOUND TEXT:
  1>
SUMMARY RESOLUTION LOGIC FOUND TEXT:
  1>
SUMMARY RESOLUTION LOGIC NOT FOUND TEXT:
  1>

Reminder Dialog
LINKED REMINDER DIALOG: OSTEOPOROSIS//
```

CREATING FINDINGS

```
Select FINDING: ??
        You may enter a new FINDINGS, if you wish
        This field identifies the finding items included in the reminder
        definition.
        Enter one of the following:
          DR.EntryName to select a DRUG
          ED.EntryName to select a EDUCATION TOPIC
          EX.EntryName to select a EXAM
          HF.EntryName to select a HEALTH FACTOR
          IM.EntryName to select a IMMUNIZATION
          LT.EntryName to select a LABORATORY TEST
          MH.EntryName to select a MENTAL HEALTH INSTRUMENT
          OI.EntryName to select a ORDERABLE ITEM
          RP.EntryName to select a RADIOLOGY PROCEDURE
          CF.EntryName to select a REMINDER COMPUTED FINDING
          TX.EntryName to select a REMINDER TAXONOMY
          RT.EntryName to select a REMINDER TERM
          ST.EntryName to select a SKIN TEST
          DC.EntryName to select a VA DRUG CLASS
          DG.EntryName to select a VA GENERIC
          VM.EntryName to select a VITAL MEASUREMENT
          RL.EntryName to select a REMINDER LOCATION LIST

        To see the entries in any particular file type <Prefix.?>

        If you simply enter a name then the system will search each of
        the above files for the name you have entered. If a match is
        found the system will ask you if it is the entry that you desire.

        However, if you know the file the entry should be in, then you can
        speed processing by using the following syntax to select an entry:
              <Prefix>.<entry name>
                        or
              <Message>.<entry name>
                        or
              <File Name>.<entry name>
```

CREATING A HF

```
Select HEALTH FACTORS: OSTEOPOROSIS SCREENING DONE ELSEWHERE
FACTOR: OSTEOPOROSIS SCREENING DONE ELSEWHERE  Replace
INACTIVE FLAG:
ENTRY TYPE: FACTOR//
CATEGORY: HF1 OSTEOPOROSIS//
SHORT NAME:
USE ONLY WITH SEX: FEMALE//
DISPLAY ON HEALTH SUMMARY: YES//
```

CREATING TAXONOMY

```
NAME: OSTEOPOROSIS POSTMENOPAUSAL  Replace
BRIEF DESCRIPTION:


CLASS: LOCAL//
SPONSOR:


REVIEW DATE:


PATIENT DATA SOURCE:
USE INACTIVE PROBLEMS:
INACTIVE FLAG:

ICDO Range of Coded Values
Select ICDO LOW CODE:

ICD9 Range of Coded Values
Select ICD9 LOW CODE: 733.01//
  ICD9 LOW CODE: 733.01//
  ICD9 HIGH CODE:
Select ICD9 LOW CODE:

CPT Range of Coded Values
Select CPT LOW CODE:

Select Reminder Taxonomy:
```

REMINDER DIALOG

Reminder Resolution: POSTMENOPAUSAL OSTEOPOROSIS

☑ Done Elsewhere Comment: *

☑ Consult ordered Comment:

CONSULTS

Select consult accoding to your site

>>>>>>> TIDWELL <<<<<<<

Tidwell Consults

Tidwell Radiology Consults

>>>>>>> GLENDALE <<<<<<<

Glendale Consults

Glendale Radiology Consults

>>>>>>> RHT <<<<<<<

RHT Consults

RHT Radiology Consults

CONSULT SETUP

1) SETTING UP A CONSULT (ROLL N SCROLL)
2) SETTING UP A CONSULT IN GUI
3) CONSULT REPORTS

CONSULT MANAGEMENT MENU

```
CHOOSE 1-5: 4  GMRC MGR     Consult Management


   RPT     Consult Tracking Reports ...
   SS      Set up Consult Services
   SU      Service User Management
   CS      Consult Service Tracking
   RX      Pharmacy TPN Consults
   GU      Group update of consult/procedure requests
   UA      Determine users' update authority
   UN      Determine if user is notification recipient
   NR      Determine notification recipients for a service
   TD      Test Default Reason for Request
   LH      List Consult Service Hierarchy
   PR      Setup procedures
   CP      Copy Prosthetics services
   DS      Duplicate Sub-Service
   IFC     IFC Management Menu ...
   TP      Print Test Page
```

WHAT ARE OBJECTS

- Imports patient data into the note.
- Examples include recent meds, vitals, age, patient name, etc.

Brackets | | are used to identify “Data Objects" within the template.

example: |patient name|

```
HS OBJECT DISPLAY            Jan 09, 2008@10:18:56          Page:    1 of    1
                Detailed Display for PEDIATRIC SOCIAL HISTORY

                HS Object: PEDIATRIC SOCIAL HISTORY (TIU)
      Health Summary Type: PEDIATRIC SOCIAL HISTORY
            Report Period:
                  Creator: BOKHARI,SYED

                                HS Object

                  Print Label: NO        Print Report Date and Time: NO
 Print Blank Line after Label: NO      Print Confidentiality Banner: NO
            Customized Header: YES        Print Report Date and Time: NO
 Suppress Components w/o Data: YES           Print Component Header: NO
   Print Deceased Information: NO      Print Time-Occurrence Limits: NO
              National Object: NO        Underline Component Header: NO
                                            Blank Line After Header: NO

          Enter ?? for more actions
    Edit HS Object                      Inquire about a HS Type
    Change HS Type                      Edit HS Type
Select Action: Quit//
```

PROGRESS NOTE TITLE

- Basic title eg. Adult General Visit
- Unique Title eg Clinical warning Note Title
- TIU DOCUMENT DEFINATION

5) CL (Class)
6) DC (Document Class)
7) TL (Title)

NOTE TITLE ROLL N SCROLL

```
Create Document Definitions   Jan 09, 2008@10:21:14          Page:    1 of    3
                                      BASICS

+       Name                                                                Type
2         PROGRESS NOTES                                                    CL
3           PRIMARY CARE                                                    DC
4             ADULT ASTHMA                                                  TL
5             ADULT DIABETES                                                TL
6             ADULT GENERAL VISIT                                           TL
7             ADULT PHYSICAL EXAMINATION                                    TL
8             ADULT WELL WOMAN CHECK-UP                                     TL
9             CORRESPONDENCE IN-HOUSE                                       TL
10            BASELINE PHYSICAL                                             TL
11            ENCOUNTER (VISIT)                                             TL
12            FAMILY HISTORY                                                TL
13            HISTORY                                                       TL
14            IMMUNIZATION GIVEN                                            TL
15            INJECTABLE/MED                                                TL
+          ?Help   >ScrollRight   PS/PL PrintScrn/List   +/-                >>>
     (Class/DocumentClass)     Next Level                Detailed Display/Edit
     Title                     Restart                   Status...
     (Component)               Boilerplate Text          Delete
Select Action: Next Screen//
```

PEDIATRIC GROWTH CHART

VistA CPRS in use by: Bokhari,Syed (10.3.20.232)

File Edit View Tools Help

BOKHARI,HA
'121118'

Document Viewer
WORD
VISTA
Growth Charts
ASTHMA PLAN
Graphing... Ctrl+G
Lab Test Information...
Options...

t Selected
: BOKHARI,SYED

Primary C

Available Rep
Vitals Cumu
Health Sum
Outpatient E
Progress N

[From: Jan 09,2007 to Jan 09,2008]

1:01) Cumulative Vitals/Measure

```
08/30/07
08:30
    T:    97.6 F (36.4 C) (AXILLARY)
    P:    116 (SITTING)
    R:    24 (SITTING)
    B/P:  80/52* (R ARM, SITTING, CUFF, PEDIATRIC)
    Ht:   44.49 in (113.00 cm) (ACTUAL)
    Wt:   52.80 lb (24.00 kg)
    Body Mass Index: 19
```

Date Range
Date Range...
Today
One Week Back

PEDIATRIC GROWTH CHART

Growth Chart Example - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Search Favorites

Address http://vistaehr/growth/61125.html Go

Click on any one of the following to display the available growth charts for your patient. Use the back button to return to main page.

BOKHARI,HARRIS

DOB[redacted]

Male Age in months vs. Weight kg.

Male Age in months vs. Height cm. 0-36 months

Male Age in months vs. Height cm. over 36 months

Male Body Mass Index-for age

Male Weight vs Stature

Male Weight vs Length

Note: should any xvals or yvals value be inappropriate, or there be an unequal number of values in both lists, the patient p will be ignored, and a "blank" growth chart with percentile values only will be shown.

PEDIATRIC GROWTH CHART

File Edit View Favorites Tools Help

Back Search Favorites

Address http://vistaweb/PGC/chart.php?style=stature-age&sex=1&maxage=56.508&xvals=53.328&yv